

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8590	ascertain\$ near7(function\$5 ability parameter capability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:09
L2	105	1 and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:10
L3	67	2 and(@ad<"19991101" @prad<"19991101" @rlad<"19991101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:10
L4	255	device near3 link near3 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:11
L5	2	4 and "1394" and(@ad<"19991101" @prad<"19991101" @rlad<"19991101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:17
L6	202	(device adj2 driver)and(link adj2 driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:14
L7	4	6 and "1394" and(@ad<"19991101" @prad<"19991101" @rlad<"19991101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:14
L8	681	(device adj2 driver)with link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:14
L9	14	8 and "1394" and(@ad<"19991101" @prad<"19991101" @rlad<"19991101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 15:14

L10	2	"6446142".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:18
L11	2	"6295479".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 17:18
S1	660400	(recei\$ quer\$ request\$3 retriev\$ get read\$3)near7(descriptor description capability parameter behavior ability functionality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:15
S2	17571	link near3(layer driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:15
S3	303	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:16
S4	124	S3 and(@ad<"19991101" @prad<"19991101" @rlad<"19991101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:50
S5	66927	configur\$ near5(driver layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:33
S6	368	S1 same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 16:50
S7	155	(S6 and(@ad<"19991101" @prad<"19991101" @rlad<"19991101"))not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 13:31
S8	16743	configur\$ near5 link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 17:57

S9	352	S8 and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:34
S10	167	(S9 and(@ad<"19991101" @prad<"19991101" @rlad<"19991101"))not(S7 S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:46
S11	97	S1 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 17:59
S12	473	(reconfigur\$ configur\$)with(driver)with dynamic\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:44
S13	28	S12 and "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:44
S14	1	"6233611".PN.	USPAT; USOCR	OR	ON	2005/01/04 18:40
S15	1	"6031977".PN.	USPAT; USOCR	OR	ON	2005/01/04 18:41
S16	1	"5968152".PN.	USPAT; USOCR	OR	ON	2005/01/04 18:42
S17	640	((reconfigur\$ configur\$)with(driver))and "1394")not(S3 S6 S10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:45
S18	200	(S17 and S1 and(@ad<"19991101" @prad<"19991101" @rlad<"19991101"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 18:46